Editing Modules (%[U+8AAA] - Chinese)*

Mark Husband
Adan Galvan
Wei-Cheng Wong
Connexions

Based on *Editing Modules*† by

Mark Husband
Adan Galvan

This work is produced by OpenStax-CNX and licensed under the
Creative Commons Attribution License 2.0‡

Abstract

.ˆ“A[A,ˆ%[U+5167]M∆[U+6A94]∆A˜Θ

WARNING: This module contains Connexions documentation which is out-of-date. The contents of this module are provided here for historical purposes only and **should not be considered accurate** for the current version of the Connexions website. The current (English-language) version of this module can be located at http://cnx.org/content/m10887/latest/[1]. If you have any additional questions or cannot find the answer to your question, please contact techsupport@cnx.org[2] and we will be happy to assist in any way we can.

If you would like to assist Connexions by helping us update this module with an appropriate translation from the current English version, please contact us at cnx@cnx.org[3] as we would appreciate your help with improving our support for non-English-speaking users.

*Version 1.3: Aug 20, 2009 2:40 pm -0500
†http://cnx.org/content/m10887/2.23/
‡http://creativecommons.org/licenses/by/2.0/
[1] "Overview of Authoring Modules" <http://cnx.org/content/m10887/latest/>
[2] techsupport@cnx.org
[3] cnx@cnx.org

1 ah(Module)?

hConnexionsz1AImøΘ[U+60A8]a˚Wœofi,ˆ7%Δ?ΔCNXML[U+6A94],0g,0gA5BΛΘAA[Æ[#AdΘi4ˆ,[U+6BCF]wˆ7aX[U+6490
u,Æ3;ASg,–ˆ:k6z10gA!hlˆAΘ

Figure 1,æA,ˆ5Manage Files6("[U+6A94])tA5File6([U+6A94])Θ

Figure 1: –74index.cnxml[U+6A94]AæA5Files6([U+6A94])Θ

2 [U+72C0]S

k6A[Æ4¨XnΩA–,[U+72C0]S (Figure 2)Σ4¸ˆ4Alˆ[U+72C0]S9Θwl#,74Y¸ffl:

- State [U+72C0]S[4] – AΠ[U+72C0]SΘ
- Last action TA– – k6-ΛAT–A0/Θ
- Actions – – k6æA,.ffllΠˆˆConnexions4,Ei[U+4F48] (Section 11: [U+4F48])Ø,[U+62CB]W (Section 10: [U+62CB]W[U+60A8]A)k6AΠ–ΘA[5lA,.ffllΠˆˆ3;ˆ,m–A[[5]–A[ÆA[m–,k5lmlyΩ[6]Θ
- View B˙–k6æA,.ffllΠˆA (Section 9.1: I)xΔ (Section 9.2: IAx)xΔCNXML8 (Section 9.4: IA8)ˆΘA[5lA,.ffllΠˆˆ=ˆ,wl[U+60 (Section 9.3: B˙¸ˆ)Θ

[4]"Work Areas (%[U+8AAA] - Chinese)" <http://cnx.org/content/m13482/latest/#contentstatuslist>
[5]"Suggest Edits (%[U+8AAA] - Chinese)" <http://cnx.org/content/m13499/latest/>
[6]"Derived Copy (%[U+8AAA] - Chinese)" <http://cnx.org/content/m13498/latest/>

Figure 2: æA5Module Status6([U+72C0]S)Θ

3 A[

[U+60A8]ffm[7]æA,Æ[U+589E]‘[8]5lA[U+60A8]A–ø,[U+60A8]iDˆA[.[U+589E]‘Δ[U+6A94]?Θ:@–hˆ-Λ,:5Manage Files6(”[U+6A94])t5Module Status6([U+72C0]S)Au-Λ–Θk6ΘΛ:@–Am–,il.[U+8AAA],YA@–:

1. A[CNXML (Section 4: A[CNXML [U+6A94])[U+6A94]Θ
2. [U+589E]‘ (Section 5: [U+589E]‘A[U+6A94])“[U+60A8]4A[U+6A94]Θ
3. A[˜ (Section 6: A[˜),)C¯A5%gΘ
4. A[Ω (Section 7: A[Ω)Θ
5. [U+589E]‘ˆ (Section 8: [U+589E]‘ˆ)Θ
6. I (Section 9: I)AxxΘ
7. [U+4F48] (Section 11: [U+4F48])Θ

A[A:@–ffIΠilYΛΘ

4 A[CNXML [U+6A94]

k6A5Edit6(A[)ˆ5index.cnxml6[U+6A94]A[U+5167]MΘ.[U+6A94]ˆ7wlA%,CNXMLA[U+8AAA],ˆ7“?ΔXΔ3;wlA[U+6A94]ΘIh In-Place(A[)A[Hˆ-ΛA[ΘÆ,[U+60A8]aU[U+64CA]Switch to Editing Full Source(”`A[Λ[U+6A94]),5Full Source6(Λ[U+6A94])A[HˆA[ΘΘ:[U+60A8]ak[U+6A94]-ΛY–:

-)index.cnxml[U+6A94] (Section 4.1:)index.cnxml[U+6A94])
-)windex.cnxml[U+6A94]ΛAXMLA[H (Section 4.2:)windex.cnxml[U+6A94]ΛAXMLA[H)
- XEdit-In-PlaceA[HA[index.cnxml[U+6A94] (Section 4.3: XEdit-In-PlaceA[HA[index.cnxml[U+6A94])
- XFull SourceA[HA[index.cnxml[U+6A94] (Section 4.4: XFull SourceA[HA[index.cnxml[U+6A94])
- XΛ%bA[HA[index.cnxml[U+6A94] (Section 4.5: XΛ%bA[HA[index.cnxml[U+6A94])

[7] "Work Areas (%[U+8AAA] - Chinese)": Section mæffIΠ <http://cnx.org/content/m13482/latest/#creatingmodules>
[8] "Work Areas (%[U+8AAA] - Chinese)": Section ΘØ[U+589E]‘5lAffIΠ <http://cnx.org/content/m13482/latest/#addingexistingmodules>

Figure 3: 5Edit6(A[)ˆlEdit-In-PlaceA[HΩYAindex.cnxml[U+6A94]Θ

4.1)index.cnxml[U+6A94]

ˆ)index.cnxml[U+6A94],Y[U+6B65]:

1. lImport)",ΘY[U+60A8]ˆ)A[U+6A94],aXA:Microsoft Word[9] ΔOpenOffice WriterΔXMLSpy/Authentic[10] Plain XMLΘ
2. U[U+64CA]Import),i4tˆ%j,[U+60A8]Mˆ)[U+6A94]AΓΘ
3. l%j[U+6A94]Γ,XBrowse@l%jˆ[U+6A94]ΓΘ
4. U[U+64CA]Import),[U+60A8]#[U+6A94]Ai˜[U+60A8]Aindex.cnxml[U+6A94]Θ

   LØ: [U+60A8]lTU[U+64CA]Import),index.cnxml[U+6A94]Ai)[U+6A94]AJΘ

4.2)windex.cnxml[U+6A94]ΛA**XML**A[H

[U+60A8]a)windex.cnxml[U+6A94],[U+60A8]aXA[XML[U+6A94]A—b-ΛA[Θindex.cnxml[U+6A94]?"`XMLA[Ha1Θ[U+60A8]
xmlspy® A[H,Altova **authentic**® A[HΘ

[9] http://cnx.org/help/UsingMSWord
[10] "Editing CNXML with Altova's Authentic" <http://cnx.org/content/m11160/latest/>
[11] http://www.altova.com

ˆ)windex.cnxml [U+6A94] ΛAXMLA[H,Y [U+6B65]:

1. lExport)w",ΘY [U+60A8] ˆwA [U+6A94] ,aXA:XMLSpy/Authentic[12] Plain XMLΘ
2. U [U+64CA] Export)w,iˆkΣj,Yfl [U+60A8] hˆ [U+555F] . [U+6A94] Θ5 [U+789F] Θ
3. # [U+60A8] ˆΘ5 [U+789F] A [U+6A94] Θ
4. # [U+60A8] ˆΘ5 [U+6A94] AΓΘ
5. [U+555F] [U+60A8] AXMLA[HA[[U+6A94] Θ

ˆ) [U+6A94] Connexions,.j, [U+5167] M,ΘConnexionsΛ) (Section 4.1:)index.cnxml [U+6A94])AΘ

4.3 XEdit-In-PlaceA[HA[index.cnxml [U+6A94]

Edit-In-PlaceA[Hhl5Edit6(A[)IAA[HΘ [U+60A8] aæA%1 ˚ b,X.A[HKv5lAΘ [U+60A8] vΣCNXMLXEdit-In-PlaceΘ [U+60A8] l [U

4.3.1 ΩA

ˆ%1 ˚ bΩAæ,Y [U+6B65]:

1. lEdit-In-PlaceA[H,U [U+64CA] lΩjA5Click To Insert Text6(U [U+64CA] %)Θ



Figure 4: Edi-In-PlaceA[HA5Click To Insert Text6(U [U+64CA] %)%jΘ

Ωj:—ΩA[j1bΘ
2. l—ΩjA5Insert Module Text Here6(l.%) [U+60A8] ˆA%Θ

[12] "Editing CNXML with Altova's Authentic" <http://cnx.org/content/m11160/latest/>



Figure 5: Edi-In-PlaceA[HA5Insert Module Text Here6(l.%)A[jΘ

3. U [U+64CA] SaveΘ5Θ5 [U+60A8] A%,—ΩA[ji:Ωj1b,ˆ [U+60A8] A)Θ

4.3.2 XEdit-In-PlaceA[5lA

ˆA[A,Y [U+6B65]:

1. XEdit-In-Placeˆ [U+60A8] ˆA[AΘ
2. Yˆ [U+60A8] ˆA[ffIΠAΩ%jΘ
3. U [U+64CA] %j,Ωj:—ΩA[j1b,ˆffIΠ%Θ

Figure 6: Edi-In-PlaceA[HA—ΩA[jΘ

4. k.ffIΠ-Λˆ AΘ

5. U[U+64CA]SaveΘ5Θ5)A%,ÆU[U+64CA]Cancel1w—ΩA[j)A%Θ
6. l1[U+6B65]25,A[[U+60A8]AffIΠΘ

: lΩ%j,¸SA^Iœl^AΘl—ΩA[j,¸SMathMLj^;A[?"œoMathMLΘ

4.3.3 XEdit-In-Place[U+589E]‘ffIΠ

[U+60A8]aXEdit-In-Place[U+589E]‘æAffIΠ,[U+60A8]a[U+589E]‘AffIΠ44:%uΔ¸ΔUΘΠ[U+9304]ΔΔ–Δ?ΔA8ΔdΔΘEdit-In-PlacelffIΠ"[U+555F]1CNXML,i[U+7522]y*AffIΠIDΘ^[U+589E]‘æffIΠ,Y[U+6B65]:

1. XEdit-In-Place^[U+60A8]^A[AΘ
2. Y^[U+60A8]^ffIΠA,[U+60A8]a:XAdd Here.[U+589E]‘,l5lffIΠAjYj)æffIΠΘ
3. lAdd Here.[U+589E]‘",ΘY[U+60A8]^)AffIΠ4,I5Paragraph6(%u);:@ffIΠ4[U+8AAA]%,aΘY5Other Elements6(3;ffIΠ)u1Θ
4. U[U+64CA]Add Here.[U+589E]‘,k6[U+60A8]AffIΠiwΩA—ΩA[j;[U+60A8]a:l—ΩjU[U+64CA]Help editing xxx A[[U+8AAA],^[U+60A8]ffIΠA[U+8AAA]%,3xxxh[U+60A8]ffIΠACNXMLΘ
5. l—ΩA[jC¯AffIΠ4Θ
6. l—ΩA[jU[U+64CA]SaveΘ5Θ5),ÆU[U+64CA]Cancel1w)Θ
7. l1[U+6B65]26,l[U+589E]‘æAffIΠΘ

4.4 XFull SourceA[HA[index.cnxml[U+6A94]

[U+60A8]aXFull SourceA[H,lConnexionsAindex.cnxml[U+6A94]A[CNXML;m–A[AjlCX6+œ[U+5167]MΘ:h#A%A[H,/Z4%A
A1,[U+62FC]Σ[U+67E5]%5Θ^XFull SourceA[HA[[U+6A94],Y[U+6B65]:

1. l5Edit6(A[)U[U+64CA]Switch to Editing Full Source "`A[ΛA8,index.cnxml[U+6A94]Ai^lFull SourceA[HYΘ



Figure 7: lFull SourceA[HY,5Edit6(A[)ˆindex.cnxml[U+6A94]AΘ

2. Yˆ[U+60A8]ˆffΠAΘ
3. U[U+64CA]%tA[Θ
4. U[U+64CA]SaveΘ5Θ5[U+60A8]AΘ

[U+60A8]A[index.cnxml[U+6A94],CU[U+64CA]SaveΘ5Θ5[U+60A8]AΘl[U+6BCF][U+60A8]Θ5[U+60A8]A,41[U+60A8]AC

: Θ5[U+4F48]h8A–Θ[U+60A8]lFull SourceA[HΘ5[U+60A8]AA[,[U+60A8]-ΛAΘ5l[U+60A8]A–ø;/-ConnexionsΘ[U+60A8]?[U+4F48][U+60A8]A-,aConnexionsAB-Æ51Θ6[U+4F48]A9,-˙A[U+4F48] (Section 11: [U+4F48])Θ

4.4.1 lFull SourceA[HΣ[U+67E5][U+60A8]A–

[U+60A8][U+4F48]lConnexionsA“index.cnxml[U+6A94],?h4ıACNXML%b,[U+6A94]?ˆΨqZ4CNXML;i4,[U+60A8]U[U+64CA] (Figure 8)Θ4kKv,[U+60A8]ZaΘ5[U+60A8]AœΘ



Figure 8: lFull SourceA[HAΣ[U+67E5]AΘ

A˘ywljA9jΘ

LØ: [U+60A8]ılConnexions[U+4F48],4ACNXMLkff4v,index.cnxml[U+6A94]h4ıAΘ

4.5 XΛ%bA[HA[**index.cnxml**[U+6A94]

[U+53E6]8A[index.cnxml[U+6A94]AjlhXΛ%bA[H,/9J6X–XMLA[HΘ,[U+60A8]l5Files6([U+6A94])B˙,A3wlindex.cnxml[U+6A
ExternalEditor,ÆlMacintoshÆ´Zope EditManagerΘ

5 [U+589E]‘A[U+6A94]

index.cnxml[U+6A94],aˆ73;A[U+6A94],4A?Δ[U+6A94]ΔCNXML%bΘ[U+60A8]aΘ5Files6([U+6A94])[U+589E]‘:@[U+6A94];

5.1 [U+6A94]”ˆ

l[U+60A8][U+589E]‘[U+6A94],Y[U+6A94][U+6A94]A”ˆ:

- [U+6A94]d?610MBΘ

- [U+6A94]AeYıh¸Θ,[U+6A94]51965mustangphoto.gif6i,læ[13][U+6A94]5photo1965mustang.gif6Θ
- [U+6A94]ı^7ΩΘ[U+6A94]5eiffel tower.png6i,læ[14][U+6A94]5eiffel_tower.png65eiffeltower.png6Θ
- l[U+6A94]–ıXı%Y¸Δ"."(U)Δ"-"([U+6A6B])Δ"_"(%)Θ
- ¡1[U+6A94][15]?4aAMIME#(Multipurpose Internet Mail Extension)2Θ

5.2 [U+589E]‘?

^[U+589E]‘?,Y[U+6B65]:

1. U[U+64CA]Add New Item[U+589E]‘æfflΠ”A%jAY,iw4ıfflΠAYΘ
2. ΘY5Image6(?),/U[U+64CA]Add New Item[U+589E]‘æfflΠ,iw5Edit Image6(A[?)Θ
3. U[U+64CA]Browse@,i^5File Upload6([U+6A94])kΣjΘ
4. ?[U+6A94]C¯iA,/U[U+64CA][U+6A94]Θ
5. U[U+64CA]Open[U+555F],?[U+6A94]iwlBrowse@”A%jΘ
6. U[U+64CA]SaveΘ5?[U+6A94]Connexions,i^9&?IΘ

5.3 [U+589E]‘[U+6A94]

^[U+589E]‘[U+6A94],Y[U+6B65]:

1. U[U+64CA]Add New Item[U+589E]‘æfflΠ”A%jAY,iw4ıfflΠAYΘ
2. ΘY5File6([U+6A94]),/U[U+64CA]Add New Item[U+589E]‘æfflΠ,iw5Edit File6(A[[U+6A94])Θ
3. U[U+64CA]Browse@,i^5File Upload6([U+6A94])kΣjΘ
4. [U+6A94]C¯iA,/U[U+64CA][U+6A94]Θ
5. U[U+64CA]Open[U+555F],[U+6A94]eiwlBrowse@”A%jΘ
6. U[U+64CA]SaveΘ5[U+6A94]Connexions,i^9&[U+6A94]A9Θ

5.4 [U+589E]‘CNXML%b

^[U+589E]‘CNXML%b,Y[U+6B65]:

1. U[U+64CA]Add New Item[U+589E]‘æfflΠ”A%jAY,iw4ıfflΠAYΘ
2. ΘY5CNXML Document6(CNXML%b),/U[U+64CA]Add New Item[U+589E]‘æfflΠ,iw5Edit CNXML File6(A[CNXML[U
3.)CNXML[U+6A94],%5Edit Directly6(A[)j,[U+6A94],)[U+6A94]Θ
4. U[U+64CA]SaveΘ5,i^9&6CNXML[U+6A94]A9Θ

5.5 llæΔTΔı˜ΔfflΠ

[U+60A8]alæΔYΔı˜Δ“fflΠΘ:@–lΨo,l–øAΘ-Θ–øfflΠ[16]Δl–ølæfflΠ[17]Δl–øTı˜fflΠ[18],“l–ø-Λ@–Θ

: [U+60A8]wlæΔYΔı˜ΔTindex.cnxml[U+6A94]Θ

[13]"Work Areas (%[U+8AAA] - Chinese)": Section l–ølæfflΠ <http://cnx.org/content/m13482/latest/#renamingfilesec>
[14]"Work Areas (%[U+8AAA] - Chinese)": Section l–ølæfflΠ <http://cnx.org/content/m13482/latest/#renamingfilesec>
[15]"Adding Multimedia to Your Connexions Content (%[U+8AAA] - Chinese)" <http://cnx.org/content/m13497/latest/>
[16]"Work Areas (%[U+8AAA] - Chinese)": Section Θ–øfflΠ <http://cnx.org/content/m13482/latest/#removingfiles>
[17]"Work Areas (%[U+8AAA] - Chinese)": Section l–ølæfflΠ <http://cnx.org/content/m13482/latest/#renamingfilesec>
[18]"Work Areas (%[U+8AAA] - Chinese)": Section l–øTı˜fflΠ <http://cnx.org/content/m13482/latest/#cuttingcoying>

6 A[˜

ı[U+5920]XÆlConnexionsØ5,Connexions?4A@Ψ9;.[U+60A8]˜ (Figure 9)hlˆAΘ



Figure 9: 5Metadata6(˜))eΔ=ˆAΘ

ˆ˜,Y[U+6B65]:

1. U[U+64CA]5Metadata6(˜)ˆwuΘ
2. l5Name6(e)ø[U+60A8]ˆDAe,.eiwlConnexionsAgΘ
3. l5Keywords6()ø0gΨffIIΠ,XÆa5,l[U+6BCF])ffIIΠΘ
4. l5Abstract6(=ˆ)ø0gA#yΘΥl=ˆlıg;=ˆˆlAgYj,.l=ˆlygh¡pAΘ
5. U[U+64CA]SaveΘ5,iˆ9&[U+8AAA]˜æ,ltgA1b5New Module6(æ)Θ

7 A[Ω

–AmÆ,I[U+60A8]Q44Ω[19] :A[ÆΔÆΔx4ÆΘ[U+60A8]aA3;Connexions4Æ¡Ω,–ˆ[U+60A8]ˆ;1.Θ%ΛA5Roles6(Ω)(Figure 10)ˆXÆe;ΠAΩΘl5Author6(A[Æ)Δ5Maintainer6(Æ)Δ5Copyright Holder6(x4Æ)zAjwA.ΩA0Θ

[19] http://cnx.org/help/reference/roles/document_view

Figure 10: 5Roles6(Ω)Θ

7.1 A3;XÆΩ

ˆA3;XÆΩ[20] ,Y[U+6B65]:

1. U[U+64CA]5Roles6(Ω)ˆwuΘ
2. lSearch5"Aj[U+60A8]ˆAΩAXÆΘ
3. U[U+64CA]Search5,i5Connexions¯5ffIA4XÆwuΘ
4. DˆAXÆe"Aj,/U[U+64CA]Add People[U+589E]'0,i45Roles Pending Approval6(Ω#a)ˆl5Roles6(Ω)YjΘ
5. 5Author6(A[Æ)Δ5Maintainer6(Æ)Δ5Copyright Holder6(x4Æ)zAj,E[U+60A8]ˆAXÆAΩ,I[U+72C0]h4jk#Θ
6. iDˆ,[U+60A8]ˆAAΩ,U[U+64CA]Update RolesæΩΘ
7. XÆl;YgConnexions,iˆˆ¿.ΩΘ

lAæ[U+53E6]XÆAΩ,:œ/y1,3;XÆff¿:ΩAœ;XÆa:œ,;æAΩipΣl5Roles6(Ω)Θ[U+67E5][U+95B1]aΩˆ (p. 13)¡aˆA9Θ

: l[U+4F48],4#ΩAœ?¿[U+7D55]Θ

7.2 B~Λ#Ωˆ

ConnexionsmA¯–M,3jlhßz1A–4Θi[U+53E6]A[Æl;Az1A[U+60A8]Ω,[U+60A8]a;f¯–,5Pending6(#) (Figure 11)iwl[U+60A8]Con



Figure 11: Ωˆ A5Pending6(#)Θ

[20] http://cnx.org/help/reference/roles/document_view

U[U+64CA]**Role Request**Ω^^,^5Collaboration Requests6(¯–^) (Figure 12)tΘΘ:t[U+60A8]a:

- ^[U+60A8]Aa (Section 7.2.1: ^[U+60A8]Aa)
- [U+60A8]wA^[U+53E6]A[ÆAa (Section 7.2.2: [U+60A8]w^)
- Ψo^ (Section 7.2.3: Ψo^)



Figure 12: 5Collaboration Requests6(¯–^)t^^[U+60A8]Aa,^[U+53E6]A[ÆAaΘ

7.2.1 ^[U+60A8]Aa

i[U+53E6]ConnexionsAA[Æl;Az1A[U+60A8]Ω,oA[ÆΔÆΔx4Æ,il5Collaboration Requests6(¯–^)tA5Request Awaiting Your Approval6(^[U+60A8]Aa)YjwΘ,^¿^,l[U+60A8]N¿^AAj,/U[U+64CA]Accept¿Θ
,^[U+7D55]^,l[U+60A8]N[U+7D55]^AAj,/U[U+64CA]Reject[U+7D55]Θ

: i[U+60A8]^[U+589E]‘z1ox4Æ,l[U+60A8]¿^Ω,[U+60A8]?Aj[U+60A8].Aa;lA5License6(A)zi,^AaΘ

7.2.2 [U+60A8]w^

i[U+60A8]l[U+60A8]Az1ff^0[U+589E]‘Ω,oA[ÆΔÆΔx4Æ,il5Collaboration Requests6(¯–^)tA5Request You Have Made6([U+60A8]w^)Yjw,3;A[Æ[U+555F]WΘ[U+60A8]aΘ:1#A^Θ

7.2.3 Ψo^

“[U+60A8]ffwA^,”h¿[U+7D55],kl5Collaboration Requests6(¯–^)tA5Request You Have Made – Completed6([U+60A8]w^ – Ψo)Θ[U+60A8]SD^J.d[U+9304],[U+60A8]aWΘ

8 [U+589E]‘ˆ

ˆ[U+589E]‘A[4Aˆ,U[U+64CA]A[A5Links6(ˆ),iˆ5Edit Links6(A[ˆ) (Figure 13)tΘ



Figure 13: 5Links6(ˆ)Θ

Θ5Links6(ˆ),[U+60A8]a:

- [U+589E]‘æAˆ (Section 8.1: [U+589E]‘æAˆ)
- A[5lAˆ (Section 8.2: A[5lAˆ)
- ˆ (Section 8.3: ˆ)

:@ˆal5Links6(ˆ)-,ˆ[U+6BCF]Θˆwl#Aß2%Y,,RAˆl5Supplemental6(R)g%YΘ

8.1 [U+589E]‘æAˆ

ˆ[U+589E]‘æˆ,Y[U+6B65]:

1. l5Link Name6(ˆe)øˆAΘ(?A)
2. :l5Module Id6(ID)øAA,Æl5Link URL6(ˆ)ø,#ˆΠAΘi[U+60A8])A,[U+60A8]axΘ
3. l5Link Type6(ˆ2)ø”U[U+64CA]Y,ΘYˆ2Θ
4. l5Link Strength6(ˆp)ø”U[U+64CA]Y,ΘY8,ˆp;5hTAˆΘ
5. U[U+64CA]Add[U+589E]‘[U+589E]‘ˆΘ

8.2 A[5lAˆ

iff74ˆ,ˆiwltAoΛΘˆA[5lAˆ,Y[U+6B65]:

1. æ5Name6(e)øA,œˆΘ
2. æ5URL6()øA,œˆΘ

3. l5Link Type6(ˆ2)ø”U[U+64CA]Y,ΘY[U+53E6]ˆ2Θ
4. l5Link Strength6(ˆp)ø”U[U+64CA]Y,ΘY8,ˆp;5hTAˆΘ
5. U[U+64CA]Update Linksæˆ Ψo[U+60A8]AΘ

8.3 ˆ

ˆ5lAˆ,l5lAˆA5Delete6()zj,U[U+64CA]Update Linksæˆˆ Θ

9 I

A[Ω,[U+60A8]wI[U+60A8]ˆwlA¨Θ[U+60A8]aYjΘ5Preview6(I)B-:

- I (Section 9.1: I)
- IAx(PDF file) (Section 9.2: IAx)
- B-¸ˆ (Section 9.3: B-¸ˆ)
- B-¯#A8 (Section 9.4: IA8)

9.1 I

ˆB-,Y[U+6B65]:

1. U[U+64CA]5Preview6(I),iˆ5Preview6(I)tΘ
2. U[U+64CA]**Online Preview** IˆΘ:ˆAx,6[U+4F48]AxΘΙΠ[U+4F48]xΩ/A,hIxl/74ˆ,Z4ˆΘ[U+60A8]ˆˆ,Σ-ΛΘ
3. X[U+60A8]@HA5Back6(4)ı,5Preview6(I)tΘ

9.2 IAx

AxA,xΘ.Fnhˆ A,11/ΨΘˆB-Ax,Y[U+6B65]:

1. U[U+64CA]5Preview6(I),iˆ5Preview6(I)tΘ
2. U[U+64CA]**Print Preview**Iˆ,iw5Opening index.pdf6([U+555F]index.pdf)kΣjΘ
3. XPDFB-u[U+555F][U+6A94],/U[U+64CA]OK,iˆAxΘ
4. Σˆ A%?ˆ,hh[U+60A8]ˆAΘ
5. [U+60A8]aX[U+60A8]APDF@HAffl.PDF[U+6A94]Θ
6. 1PDFB-Θ

9.3 B-¸ˆ

A[5lA,[U+60A8]aB-T[U+4F48]x[U+60A8]ΠA[xΩ/AF¸ˆΘU[U+64CA]**Changes**ˆB-¸ˆ (Figure 14)Θ[U+60A8]ˆΣ[U+67E5]Ad[U



Figure 14: 5Changes to6()¸ˆΘ

5Change To6()=ˆwA,ˆ7ΩA#,“[U+6A94]Ae,[U+589E]‘A[U+6A94],A[U+6A94]ΘU[U+64CA][U+6A94]ˆA#yΘ

9.4 IA8

4B-AA8hjEAΘˆB-AA8,U[U+64CA]l5Module Status6([U+72C0]S)A5View6(B-)g%YA**Source**A8ˆ,iˆffΘ5ATæA8Θ

: [U+60A8]5A8,.ıΨ4XΘ

10 [U+62CB]W[U+60A8]A

[U+60A8]NiA[AuA[U+72C0]S,.[U+72C0]Shl[U+60A8]A[WΩ,.aıyΘˆ[U+62CB]W[U+60A8]A,U[U+64CA]l5Module Status6([U+72C0]S)A5Actions6(–)g%YA**Discard**[U+62CB]Wˆ,iC[U+60A8][U+555F]WA[U+72C0]SΘ

: ihæAΘ[U+4F48]˜,[U+60A8])Discard4AiΛ,icœoΩEΘ

11 [U+4F48]

ˆ[U+60A8]A[U+60A8]Aı[U+5920]“0laB˜,[U+60A8]?i[U+4F48]lConnexionsΘˆ[U+4F48],Y[U+6B65]:

1. U[U+64CA]5Publish6([U+4F48]),iˆ5Publish Module6([U+4F48]) (Figure 15)tΘl[U+60A8][U+4F48].Ω,.t74,[U+60A8]1Θ
2. l5Description of Changes6([U+8AAA])%j[U+60A8]k6–A#yΘ
3. U[U+64CA]Publish[U+4F48],[U+60A8]k6A–i)ConnexionsØΘ-Ø,lA“0kaB˜.Θ



Figure 15: 5Publish6([U+4F48])Θ

æA/Z4A[A,.l5Description of Changes6([U+8AAA])%j[U+60A8]?),5Created a new module6(mæ)Θ

: [U+4F48]A–,6lA[U[U+64CA]SaveΘ5,[U+60A8]Θ5[U+60A8]A,–4[U+60A8]a51[U+60A8]–%A0a˜[U+60A8]AΘ[U+60A8][